



A REVIEW ON MULTIPLE-FEATURE-BASED ADAPTIVE SPARSE REPRESENTATION (MFASR) AND OTHER CLASSIFICATION TYPES

S. Srinivasan

Research Scholar, School of Computer Science and Engineering,
VIT University, Vellore.

Email: srinivasans.2016@vitstudent.ac.in

Dr. K. Rajakumar

Associate Professor, School of Computer Science and Engineering,
VIT University, Vellore.

Email: rajakumar.krishnan@vit.ac.in

Submitted: June 2, 2017

Accepted: July 18, 2017

Published: Sep 1, 2017

Abstract- A new technique Multiple-feature-based adaptive sparse representation (MFASR) has been demonstrated for Hyperspectral Images (HSI's) classification. This method involves mainly in four steps at the various stages. The spectral and spatial information reflected from the original Hyperspectral Images with four various features. A shape adaptive (SA) spatial region is obtained in each pixel region at the second step. The algorithm namely sparse representation has applied to get the coefficients of sparse for each shape adaptive region in the form of matrix with multiple features. For each test pixel, the class label is determined with the help of obtained coefficients. The performances of MFASR have much better classification results than other classifiers in the terms of quantitative and qualitative percentage of results. This MFASR will make benefit of strong correlations that are obtained from different extracted features and this make use of effective features and effective adaptive sparse representation. Thus, the very high classification performance was achieved through this MFASR technique.

Index Terms: Hyperspectral Images, Classification, Adaptive sparse representation, Feature extraction, Sparse representation.

I. INTRODUCTION

In recent years, Hyperspectral Image (HSI) plays an important role in the classification [1] - [5] field of remote sensing, which has involved in various applications and fields, such as Identifying of ground elements [6], Exploration of minerals [7] and Target detection. In Hyperspectral Images, the very high dimensional vector present in a each pixel and this represents the response of spectral in different spectral bands according to their entries. The pixels in Hyperspectral Images have been used in various applications, such as Anomaly detection [8], spectral unmixing [9] and classification [10]. The classification of Hyperspectral Images can be done with applying test pixels to each classes depends upon its characteristics of spectral information with a given training set.

The purpose of classification for the classes is to assign each test pixel in a given training set. To avail these functionalities, the two main approaches are Support Vector Machine (SVM) [11], [12] and multinomial logistic regression (MLR) [13] – [15]. The decomposition of an input pixel from an overcomplete dictionary is called as Sparse representation [16] – [20], which acts as an important classifier. To process an adaptive metric learning method and a novel technique for Hyperspectral image classification, a new technique called Metric Learning [21] is used. This method acts as object recognition. According to this classification method, the various classification techniques such as clonal selection feature extraction [22], semisupervised discriminative locally enhanced alignment [23], Principle Component Analysis (PCA) [24] and kernel discriminative analysis [25]. To enhance the class seperability problems [26], a kernel [27] method has been used in the above mentioned approaches.

The Extended Morphological Profiles (EMP) [28], [29] make use of pixels spatial information and this enhances the structure of neighbourhood pixels in Hyperspectral Images (HSI's). In a local region, the spatial information of each test pixels are pre-processed efficiently [30]. The classification of Hyperspectral images can be done by using k-means clustering [31], [32] and these superpixels do not have the correlations among themselves. To make use of visual recognition [33] – [35], an analyse of superpixels has been made in computer vision. In order to slowdown the difference between the domains of both source and destination, an adaptation framework that is having multiple kernels is used [36].

In order to achieve good accuracy of HSI classification, the supervised classifiers are neural networks [37], kernel based methods [38], [39] and Bayesian [40]. If the number of training samples is limited and fixed, it increases the data dimensionality [41]. This causes high computational cost and to solve these problems, a feature reduction methods are used [42] – [47].

The spatial feature plays an important role in the field of classification of HSI's [48], [49]. To improve the classification performance, the composite kernels combines spatial and spectral

information [50]. The combination of kernels can be represented as standard composite kernels and multiple kernel learning [51]. To solve the problem of optimization, the newly proposed method named generalized composite kernel is used [52]. In linear spatial-spectral features, the two methods maximum noise fraction [53] and independent component analysis [54] are used. In non-linear transformations, the manifold regularization methods [55] and extended multiattribute profile [56] are illustrated. To incorporate linear and non-linear multiple features, multiple feature learning (MFL) [57] and multinomial logistic regression (MLR) [58] are used in MFL and GCK methods.

The distance weighted tikhonov regularization [59] and nearest subspace classifier are incorporated with the help of nearest regularized subspace (NRS). To overcome the drawbacks of NRS, the joint collaborative representation (JCR) [60] is proposed. The JCR works with surrounding pixels with same weights. To solve this issue, Weighted Joint Collaborative representation (WJCR) [61] is introduced to make use of different weights that lies in between neighbour pixels and the central pixel.

The HSI is used to achieve spectral pixels that are present in the spectral information with the help of various classifiers, such as Support Vector Conditional random classifier [62], neural network [63], adaptive artificial immune network [64], support vector machine [65] – [67], multinomial logistic regression [68], [69] and artificial deoxyribonucleic acid computing [70]. The composite kernel method is used to incorporate spectral and spatial information accordingly for each test pixel in HSI [71], [72]. Thus, a Bayesian-based approach is further used to make benefit of neighbouring pixels [73].

To increase the accuracy of ground object elements [74-77], HSI provides the acquisition of spectral information reflections simultaneously. To obtain the Hyperspectral Image classification performance [78-85], the representation based classification methods are used. In order to get good classification results, the various applications [86-92], are used for sparse representation classification (SRC) [93]. Collaborative representation classification (CRC) [94] is applied to get the good classification accuracy result. To avail a better result than the spectral information [95-98], spectral information is used in HSI.

Hyperspectral Images contains the hundreds of spectral bands that are reflected from ground elements and this can be applied to various domains, such as military [99], [100], Environmental monitoring [101], [102] and Agriculture [103-105]. In HSI, the categorization of test pixels obtained by using supervised HSI classification [106-112]. The various classification methods are used [113-115] in the field of spectral pixel-wise method. The spatial information provides the various pixels are present inside the local region that contains the spectral characteristics of information and ground objects similarly [116-124].

According to this spectral information, this produces the classification maps result with a result of very high noisy [125] [126]. To enhance the performance of classification, some techniques

[127] [128] have been examined to make use of spatial – spectral information. The method named region – based sparse representation [129] involves the region that contains some pixels always determines the same class. This representation defines the test pixel for the fixed region and then decomposes the various pixels related to the same region present in the same atom.

The region size is fixed, so that the Hyperspectral Images do not make the spatial information sufficiently. To improve the better classification performance, the neighbouring pixel which belongs to the central test pixels, the different weights are allocated [130]. The new approach named Batch – mode active learning was introduced to make use of spatial coherence Information [131]. The feature extraction method was approached to obtain the better classification results.

The main feature named Extended Morphological Profiles that are implemented with the help of Principle Component Analysis (PCA) [132]. In order to classify the HIS, morphological profiles can be set to create a transforms of both opening and closing from a very large feature set. The Hyperspectral Images data contains spectral information of the covered area, but it has no spatial information. The spatial information present in an individual image, since it has very low spectral data in that obtained image. If an original image contains in a profile, the base image acts as a principle component for an extended morphological profile.

A new approach called Multiple- feature learning algorithm is used for extraction of linear and non – linear features [133]. With this multiple feature learning classifier, HSI has achieved greater classification performance, but it is efficiently applied for fixed size window and it cannot make use of HSI spatial correlations [134]. This spatial correlations does not suitable for multiple feature based classifier [135].




Figure. 1. MFASR Architecture

To avoid these circumstances, a new technique named Multiple -feature- based adaptive sparse representation (MFASR). This MFASR has involved in four steps. Each step process the HSI data on its own way. A shape adaptive (SA) region is used for the window in a fixed size range, so that it can make use of its neighbouring pixels. The usage of adaptive sparse representation is implemented in the shape adaptive region will break the pixels effectively. This exploits all the correlations among themselves in the four features mentioned above in an effective way. To get the good classification map results, it joints all the correlations in a single way for each test pixels in a given obtained class label.

II. CLASSIFICATION TYPES

a. Support Vector Machine (SVM)

Machine learning algorithms are widely used in classification of HSI in agriculture field. This algorithm is implemented in various fields, such as KNN [136], Artificial Neural Networks [137], [138] and Decision tree [139]. To understand the concept of Statistical learning theory, the Support vector machine (SVM) is introduced [140], [141]. This SVM is applied to various emerging fields, such as cancer recognition [142], text classification [143], [144], credit scoring [145-147] and Image retrieval [148].

Support vector machines are also known as Support vector networks, which is a supervised learning used in machine learning. This SVM approach can be used to analyze the data that are used for HSI classifications and the regression analysis. The supervised learning is not at all possible to implement, when the data are not labelled. In such cases, an unsupervised learning method is required to organize the clustering data into groups and then gives the new data. This automatically improves the SVM clustering algorithm and this process is called Support Vector Clustering. SVM is applied to the training sets of any classes so that a hyperplane with good separation is achieved. The data was mentioned as p – dimension vector and the separation can be addressed in such a vector p with a $p-1$ dimensional hyperplane. This process is called as Linear Classifier.

b. Sparse Representation Classification (SRC)

To overcome the problem of optimization, the various pursuit methods are Basis pursuit [149], orthogonal matching pursuit [150], matching pursuit [151], K-SVD method [152] and LARS/homotopy methods [153]. To apply the sparse representation to various applications, such as image inpainting, signal separation and coding. [154-158]. This SRC representation also applied to the field of digital image processing like face recognition [159], fusion [160] and Interpolation [161]. This sparse classifier (SR) [162-167] is widely used in HSI classification for acquiring better classification results.

The Sparse representation classification has implemented in various fields, such as Target detection [168] [169], Denoising [170], reconstruction [171] – [173] and Tracking [174]. A pixel

in Hyperspectral Image is denoted by 'X', which is referred as $X=[X_1, X_2 \dots X_N] \in \mathbb{R}^{N \times 1}$, where N is the Number of Spectral bands.

SRC [175] framework takes a pixel X from a particular class C to obtain the Dictionary D from a linear combination of all the atoms selected. Therefore, $D = [D_1, D_2 \dots D_C] \in \mathbb{R}^{N \times M}$, where C is a class and M is the Training samples.

c. Joint Sparse Representation Classification (JSRC)

The JSRC is implemented in a fixed size region for each test pixels and thus construct a form of matrix along with the neighbouring pixels. This determines the class label for each test pixel by jointly adopted coefficients in the broken dictionary of all the atoms. [176], [177].

d. Collaborative Sparse Representation (CRC)

Collaborative sparse representation classification is mainly used for HSI classification. This CRC effectively enhance the classification efficiency of SRC. The CRC is then applied to the kernel technique to enhance the classification results and this indicates the KCRC (Kernel CRC).

This Kernel CRC will classify the HSI with the small number of complexity issues and this provides the greater performance compared with SRC. Then this will applied in a different direction with the training samples obtained, since it was extracted from SVM. The Kernel CRC might avoid the data distribution in the same direction.

e. Shape Adaptive Joint Sparse Representation (SAJSR)

The method named SAJSR classifies the HSI in the various steps. Initially, the Principle Component Analysis (PCA) is applied to the Hyperspectral Images. Then the Shape Adaptive algorithm is applied to each test pixel in a form of region.

Finally apply the Joint Sparse Representation classifier to the Shape Adaptive region within a set of pixels to outcomes the good classification results. This representation is widely used in major applications, such as Fusion, Interpolation, face recognition, etc.

f. MFASR – pixelwise

Each pixel 'x' in a multiple feature can be denoted as $x^{MF}=\{x^k\}$, $k=1,2,3,4$ where x^k is the feature vector. Similarly, the dictionaries for different features can be defined as $D^{MF}=\{D^k\}$, $k=1,2,3,4$ which is obtained by four features that extracts he pixels accordingly.

Orthogonal Matching Pursuit (OMP) – For each iteration, the OMP adds a new atom at the existing atom. It will not pick the same atom again and again, once it used the atom before. Thus the linear combination of all atoms is projected in the active set.




Figure. 2. (a) Pixel-wise multiple-feature-based joint sparse model (b) Pixel-wise Multiple-feature-based Adaptive sparse model.

III. REVIEW OF LITERATURE

Ping Zhong et al., has suggested that the diversity regularization to improve the HSI classification in Deep Belief Networks to both the procedures of pretraining and fine tuning methods. To improve the further computational efficiency, Deep belief networks hidden units has introduced to promote other diversities.

Jiangtao Peng et al., exploits the method named Ideal Regularized Composite Kernel (IRCK) to improve the various information, such as spectral, spatial and label information. This improves the state - of - the - art kernels that contains various information and this regularized all the above information.

Zhixi Feng et al., states that to understand the data in all dimensions to get accurate and rapid HSI in order to achieve images using Supervised Tensor Sparse Coding (STSC). The HSI can rapidly cluster the various images and obtained the result as superpixels tensors. The various accuracies levels, such as overall accuracy (OA) and kappa coefficient (KC) in order to achieve good HSI in a very good performance level.

Junshi Xia et al., has suggested that a method named Rotation random forest via kernel principle component analysis (RoRF – KPCA). This divides into several subsets on the feature space and

those subsets were combined with the help of RF classifiers. This method gives the good performance compared with earlier methods, such as SVM, random forest, Etc.

Zengmao Wang et al., states that to get the better training samples quality, a method named Active learning is used. To improve the training samples quality, a semisupervised learning method is approached. To get the high classification of HSI, the supervised method is used.

Lixia Yang et al., has suggested that to obtain a good accuracy and efficiency of HSI, a method named Sparse Spatio - Spectral – LapSVM is implemented. This performs on both labeled and unlabeled of spatial and spectral information to get the regularized spectral and spatial information to get high accuracy, since they perform on few labeled samples.

Sen Jia et al., illustrates that to improve the classification of HSI, the images can be segmented into various different homogenous sections that are referred as Superpixels. To extract the discriminative features, the techniques called 2-D Gabor filters are implemented. The Gabor cube is further used to reduce dimensionality with the help of spatial – spectral schrodinger eigenmaps (S^4E). The further Gabor - S^4E - MTL_{SVM} is applied to reduce the complexity problem of computational issues compared with previous techniques.

Haoliang Yuan and Yuan Yan Tang have suggested that to reduce the pixels dimensions, Subspace Learning (SL) method is used. To extract the feature representation, a framework called Ridge Linear Regression (RLR) method for SL is used.

Chunjuan Bo et al., states a two main techniques called point to set distance and local weight assignment to obtain a good consistency in the spatial information within a nearby neighboring pixels. To improve a further performance of Weighted Generalized Nearest Neighbour (WGNN), a novel label refinement is implemented. Further to improve classification performance, a set based classification will be approached.

Bushra Naz Soomro et al., illustrates a two main classification approaches called Sparse representation classification (SRC) and Collaborative representation classification (CRC) exploits a labeled samples and processes all the queries of all the classes. The context- aware elastic net (ELN) further approached to develop the neighbouring graph with the help of image dispatch distance. In future, it focuses on dictionary of both feature and spectral space to acquire good accuracy of HSI.

Lin He et al., has suggested a method named Discrete Space method (DSM) in order to reduce the computational complexity compared with support vector machine (SVM). This approach gets a result of discrete features from continuous spectral signatures. Thus improves the SVM classification accuracy with the help of discrete space method.

Li Xie et al., states a method to decrease the computational complexity and accuracy of HSI classification, when compared with 3D spectral – spatial Gabor filter. This combines a various rank filters that is low pass and band pass filters to obtain a good results of HSI classification. This decomposes the various filters into eight subfilters to achieve a good accuracy level.

J. L. Crespo et al., illustrates the process of decision module used to provide a probability vector that uses a Hyperspectral image segmenter and multi image segmenter gives an application of both parallel and concurrent application of Artificial Neural Network (ANN). These ANN uses an algorithm called Gaussian Synapses back propagation that incorporates Gaussian Synapses.

M. Fauvel et al., states the process of spectral and spatial information for Hyperspectral Image classification. The spatial information uses a set of pixels that are extracted from an object than a normal pixel level. The spatial structure of an image includes size, orientation and contrast that provides the Morphological profiles named as Mathematical Morphology. The Support Vector Machine (SVM) used for applying classification on both spatial and spectral information. This method obtains the better classification result of Hyperspectral image by using spectral and spatial functionalities.

H. R. Kalluri et al., has suggested to deal with high-dimensional feature space in both single and multiple classifiers. This paper proposes a new technique for spectral information for the classification for robust land cover with a method of decision-level fusion. The spatial derivatives reduce the problem of over-dimensionality by the means of classification of Hyperspectral images (HSI's). This method gives the overall qualified classification accuracy with the help of reflectance information.

S. Li and L. Fang have stated the process of signal denoising with the help of Random Refined Orthogonal Matching Pursuit (RROMP) by the means of an effective algorithm called Sparse recovery. This algorithm was applied for multi-selection approach and a control of false discovery rate (FDR) with several sparse representations. This method gives more accurate result by the means of mean-square-error (MSE) technique.

H. Liu et al., has stated a new technique named Principle Component Analysis (PCA) and Local Sparse Representation (LSR) for robust object tracking. In Principle Component Analysis, the patches are obtained from the error map gives the combination of target and blockage of candidate. To find the error and detect the blockage, the method called LSR is used. This provides the effective object tracking method for the sequences of an image.

J. Wright et al., illustrates the two main approaches named Feature extraction and blockage to robustness in face recognition technique. In feature extraction, the sparse representation feature is comparably very large and this is computed very correctly. The Sparse representation is mainly used to maximize the robustness due to blockage while choosing the training images. This method will efficiently verify the available database publicly.

S. G. Mallat and Z. Zhang have stated the new concept for obtaining the waveforms through by separating signals from a required dictionary is called Matching Pursuit. This Matching Pursuit is used to calculate adaptive signals by the means of general procedures. The obtained waveforms are collected accordingly to the signal structures matches.

T. C. Bau et al., has stated a new model named 3D-Gabor filters for spectral and spatial information. The Hyperspectral images are processed by 3D- Gabor filters to obtain the wavelength properties, scale and directions in an effective way. The large number of spectral and spatial information is processed by these filters and thus improves the performance and efficiency of an image region. These filters are first applied to Airborne visible and Infrared imaging Hyperspectral data to obtain the better classification result.

M. Fauvel et al., illustrates the approaches of spatial and spectral information for Hyperspectral Image classification. The Morphological profiles used to overcome an issue to obtain one feature vector from two vector attributes. Once the dimensionality of an image is reduced, the Support Vector Machine (SVM) is applied to get the better classification result. This approach gives the better result of feature reduction upto 79% to 83%.

L. Shen and S. Jia have stated a new approach for Hyperspectral Image classification named 3D-Gabor-Wavelet for pixel-wise images. This 3D-Gabor-Wavelet is used to extract spectral and spatial domains jointly and separately. This usually extracts the appropriate information from an each test pixel. This approach applied to real datasets of Hyperspectral Images (HSI's) and achieves a good accuracies result of 96.04% and 95.36% appropriately.

X. Huang and L. Zhang have stated a method for pixels and objects to combine the different features of spatial and spectral information called Support Vector Machine (SVM) Ensemble approach. This approach works with feature extraction, composite kernels and vector stacking while compared with other SVM multifeature methods. This method parallel improves the accuracy level from 1 – 4% on three datasets.

L. Fang et al., has stated an efficient tool named sparse representation for Hyperspectral Image Classification (HIC). This Sparse representation test with each pixel and defines a local region of an image. These regions are jointly represents from a given set of training samples. This approach allows the atoms to be selected from various pixels and provides an improved classification representation method. This Sparse representation classifier gives the classification method in both Qualitative and Quantitative results by the means of accuracy.

IV. CONCLUSION

The different classification methods and Multiple-feature-based Adaptive Sparse Representation (MFASR) were discussed in this paper to obtain the good classification results. The various

methods of classification are used in Hyperspectral Images (HSI's) to identify the ground elements, minerals and Skin imaging. The method Adaptive sparse representation was mainly implemented to make use of various correlations obtained from different features. Furthermore, a Shape-adaptive region exploits the spectral and spatial information of Hyperspectral Images (HSI's) for each test pixel in four different features.

An MFASR method process the Hyperspectral Images in four different stages. First, the spatial and spectral information obtained from an original HSI's. Then, the shape adaptive (SA) spatial region is tested in each test pixel. Then, the coefficients are obtained from each test pixels by using Adaptive sparse representation. Finally, the class label is obtained from each test pixels by combining the obtained coefficients. This MFASR method gives n effective quantitative and qualitative results in the form of classification maps.

REFERENCES

- [1] Z. He, Y. Shen, Q. Wang, and Y. Wang, "Optimized ensemble EMD-based spectral features for hyperspectral image classification," *IEEE Trans. Instrum. Meas.*, vol. 63, no. 5, pp. 1041–1056, May 2014.
- [2] Z. He, Q. Wang, Y. Shen, J. Jin, and Y. Wang, "Multivariate Gray model-based BEMD for hyperspectral image classification," *IEEE Trans. Instrum. Meas.*, vol. 62, no. 5, pp. 889–904, May 2013.
- [3] A. Prieto, F. Bellas, R. J. Duro, and F. López-Peña, "An adaptive approach for the progressive integration of spatial and spectral features when training ground-based hyperspectral imaging classifiers," *IEEE Trans. Instrum. Meas.*, vol. 59, no. 8, pp. 2083–2093, Aug. 2010.
- [4] L. Fang, S. Li, X. Kang, and J. A. Benediktsson, "Spectral–spatial classification of hyperspectral images with a superpixel-based discriminative sparse model," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 8, pp. 4186–4201, Aug. 2015.
- [5] L. Fang, S. Li, W. Duan, J. Ren, and J. A. Benediktsson, "Classification of hyperspectral images by exploiting spectral–spatial information of superpixel via multiple kernels," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 12, pp. 6663–6674, Dec. 2015.
- [6] J. L. Crespo, R. J. Duro, and F. L. Pena, "Gaussian synapse ANNs in multi- and hyperspectral image data analysis," *IEEE Trans. Instrum. Meas.*, vol. 52, no. 3, pp. 724–732, Jun. 2003.
- [7] B. Hörig, F. Kühn, F. Oschütz, and F. Lehmann, "HyMap hyperspectral remote sensing to detect hydrocarbons," *Int. J. Remote Sens.*, vol. 22, no. 8, pp. 1413–1422, Nov. 2001.
- [8] B. Du and L. Zhang, "Random-selection-based anomaly detector for hyperspectral imagery," *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 5, pp. 1578–1589, May 2011.
- [9] J. M. Bioucas-Dias et al., "Hyperspectral unmixing overview: Geometrical, statistical, and sparse regression-based approaches," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol.

5, no. 2, pp. 354–379, Apr. 2012.

[10] M. Fauvel, Y. Tarabalka, J. A. Benediktsson, J. Chanussot, and J. C. Tilton, “Advances in spectral-spatial classification of hyperspectral images,” *Proc. IEEE*, vol. 101, no. 3, pp. 652–675, Mar. 2013.

[11] V. Vapnik, *The Nature of Statistical Learning Theory*. Berlin, Germany: Springer-Verlag, 1995.

[12] F. Melgani and L. Bruzzone, “Classification of hyperspectral remote sensing images with support vector machines,” *IEEE Trans. Geosci. Remote Sens.*, vol. 42, no. 8, pp. 1778–1790, Aug. 2004.

[13] D. Böhning, “Multinomial logistic regression algorithm,” *Ann. Inst. Stat. Math.*, vol. 44, no. 1, pp. 197–200, Mar. 1992.

[14] J. Li, J. M. Bioucas-Dias, and A. Plaza, “Spectral-spatial hyperspectral image segmentation using subspace multinomial logistic regression and Markov random fields,” *IEEE Trans. Geosci. Remote Sens.*, vol. 50, no. 3, pp. 809–823, Mar. 2012.

[15] J. Li, J. M. Bioucas-Dias, and A. Plaza, “Semisupervised hyperspectral image segmentation using multinomial logistic regression with active learning,” *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 11, pp. 4085–4098, Nov. 2010.

[16] Y. Chen, N. M. Nasrabadi, and T. D. Tran, “Hyperspectral image classification using dictionary-based sparse representation,” *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 10, pp. 3973–3985, Oct. 2011.

[17] U. Srinivas, Y. Chen, V. Monga, N. M. Nasrabadi, and T. D. Tran, “Exploiting sparsity in hyperspectral image classification via graphical models,” *IEEE Geosci. Remote Sens. Lett.*, vol. 10, no. 3, pp. 505–509, May 2013.

[18] Y. Chen, N. M. Nasrabadi, and T. D. Tran, “Hyperspectral image classification via kernel sparse representation,” *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 1, pp. 217–231, Jan. 2013.

[19] L. Fang, S. Li, X. Kang, and J. A. Benediktsson, “Spectral-spatial hyperspectral image classification via multiscale adaptive sparse representation,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 12, pp. 7738–7749, Dec. 2014.

[20] L. Fang, S. Li, X. Kang, and J. A. Benediktsson, “Spectral-spatial classification of hyperspectral images with a superpixel-based discriminative sparse model,” *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 8, pp. 4186–4201, Aug. 2015.

[21] B. Du and L. Zhang, “A discriminative metric learning based anomaly detection method,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 11, pp. 6844–6857, Nov. 2014.

- [22] S. Prasad and L. Mann Bruce, "Limitations of principal components analysis for hyperspectral target recognition," *IEEE Geosci. Remote Sens. Lett.*, vol. 5, no. 4, pp. 625–629, Oct. 2008.
- [23] L. Zhang, Y. Zhong, B. Huang, J. Gong, and P. Li, "Dimensionality reduction based on clonal selection for hyperspectral imagery," *IEEE Trans. Geosci. Remote Sens.*, vol. 45, no. 12, pp. 4172–4186, Dec. 2007.
- [24] H. Li, Z. Ye, and G. Xiao, "Hyperspectral image classification using spectral-spatial composite kernels discriminant analysis," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, to be published.
- [25] Q. Shi, L. Zhang, and B. Du, "Semisupervised discriminative locally enhanced alignment for hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 9, pp. 4800–4815, Sep. 2013.
- [26] G. Camps-Valls and L. Bruzzone, *Kernel Methods for Remote Sensing Data Analysis*. New York, NY, USA: Wiley, 2009.
- [27] J. Li, I. Dópido, P. Gamba, and A. Plaza, "Complementarity of discriminative classifiers and spectral unmixing techniques for the interpretation of hyperspectral images," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 5, pp. 2899–2912 May 2015.
- [28] J. A. Benediktsson, J. A. Palmason, and J. R. Sveinsson, "Classification of hyperspectral data from urban areas based on extended morphological profiles," *IEEE Trans. Geosci. Remote Sens.*, vol. 43, no. 3, pp. 480–491, Mar. 2005.
- [29] J. Li, P. R. Marpu, A. Plaza, J. M. Bioucas-Dias, and J. A. Benediktsson, "Generalized composite kernel framework for hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 9, pp. 4816–4829, Sep. 2013.
- [30] Y. Tarabalka, J. A. Benediktsson, and J. Chanussot, "Spectral-spatial classification of hyperspectral imagery based on partitional clustering techniques," *IEEE Trans. Geosci. Remote Sens.*, vol. 47, no. 8, pp. 2973–2987, Aug. 2009.
- [31] G. Mori, X. Ren, A. A. Efros, and J. Malik, "Recovering human body configurations: Combining segmentation and recognition," in *Proc. IEEE Conf. Comput. Soc. Conf. Comput. Vis. Pattern Recog.*, 2004, pp. II-326–II-333.
- [32] R. Achanta et al., "SLIC superpixels compared to state-of-the-art super-pixel methods," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 34, no. 11, pp. 2274–2282, Nov. 2012.
- [33] M.-Y. Liu, O. Tuzel, S. Ramalingam, and R. Chellappa, "Entropy rate superpixel segmentation," in *Proc. IEEE Conf. Comput. Vis. Pattern Recog.*, 2011, pp. 2097–2104.
- [34] G. Zhang, X. Jia, and N. M. Kwok, "Super pixel based remote sensing image classification with histogram descriptors on spectral and spatial data," in *Proc. IEEE Int. Geosci. Remote Sens. Symp.*, 2012, pp. 4335–4338.

- [35] J. Liu, W. Yang, S. Tan, and Z. Wang, "Remote sensing image classification based on random projection super-pixel segmentation," in Proc. SPIE, 2013, Art ID. 89210T.
- [36] Z. Sun, C. Wang, H. Wang, and J. Li, "Learn multiple-kernel SVMs for domain adaptation in hyperspectral data," *IEEE Geosci. Remote Sens. Lett.*, vol. 10, no. 5, pp. 1224–1228, Sep. 2013.
- [37] Q. Jackson and D. A. Landgrebe, "Adaptive Bayesian contextual classification based on Markov random fields," *IEEE Trans. Geosci. Remote Sens.*, vol. 40, no. 11, pp. 2454–2463, Nov. 2002.
- [38] F. Ratle, G. Camps-Valls, and J. Weston, "Semisupervised neural networks for efficient hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 5, pp. 2271–2282, May 2010.
- [39] M. Borhani and H. Ghassemian, "Kernel Multivariate Spectral–Spatial Analysis of Hyperspectral Data," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 8, no. 6, pp. 2418–2426, June 2015.
- [40] F. Mirzapour and H. Ghassemian, "Multiscale Gaussian Derivative Functions for Hyperspectral Image Feature Extraction," *IEEE Geosci. Remote Sens. Lett.*, vol. 13, no. 4, pp. 525–529, April 2016.
- [41] G. Hughes, "On the mean accuracy of statistical pattern recognizers," *IEEE Trans. Inf. Theory*, vol. IT-14, no. 1, pp. 55–63, Jan. 1968.
- [42] M. Imani and H. Ghassemian, "Binary coding based feature extraction in remote sensing high dimensional data," *Information Sciences*, vol. 342, pp.191–208, 2016.
- [43] Q. Zhang, Y. Tian, Y. Yang, and C. Pan, "Automatic Spatial–Spectral Feature Selection for Hyperspectral Image via Discriminative Sparse Multimodal Learning," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 1, pp. 261–279, Jan. 2015.
- [44] M. Imani and H. Ghassemian, "Feature Extraction Using Weighted Training Samples," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 7, pp.1387–1391, July 2015.
- [45] X. Liu, L. Wang, J. Zhang, J. Yin, and H. Liu, "Global and Local Structure Preservation for Feature Selection," *IEEE Trans. Neural Netw. Learn. Syst.*, vol. 25, no. 6, pp. 1083–1095, June 2014.
- [46] S. A. Hosseini and H. Ghassemian, "Rational Function Approximation for Feature Reduction in Hyperspectral Data," *Remote Sens. Lett.*, vol. 7, no. 2, pp.101–110, 2016.
- [47] M. Imani and H. Ghassemian, "Feature space discriminant analysis for hyperspectral data feature reduction," *ISPRS Journal of Photogrammetry and Remote Sensing*, vol. 102, pp. 1–13, 2015.

- [48] M. Golipour, H. Ghassemian, and F. Mirzapour, "Integrating Hierarchical Segmentation Maps With MRF Prior for Classification of Hyperspectral Images in a Bayesian Framework," *IEEE Trans. Geosci. Remote Sens.*, vol.54, no. 2, pp. 805-816, Feb. 2016.
- [49] A. Zehtabian and H. Ghassemian, "An Adaptive Pixon Extraction Technique for Multispectral/Hyperspectral Image Classification," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 4, April 2015.
- [50] G. Camps-Valls, L. Gomez-Chova, J. Muñoz-Mar, J. Vila-Francis, and J. Calpe-Maravilla, "Composite kernels for hyperspectral image classification," *IEEE Geosci. Remote Sens. Lett.*, vol. 3, no. 1, pp. 93–97, Jan. 2006.
- [51] A. Rakotomamonjy, F. Bach, S. Canu, and Y. Grandvalet, "SimpleMKL," *J. Mach. Learn. Res.*, vol. 9, no. 11, pp. 2491–2521, Nov. 2008.
- [52] J. Li, P. Marpu, A. Plaza, J. Bioucas-Dias, and J. A. Benediktsson, "Generalized composite kernel framework for hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 9, pp.4816–4829, Sept. 2013.
- [53] A. Green, M. Berman, P. Switzer, and M. Craig, "A transformation for ordering multispectral data in terms of image quality with implications for noise removal," *IEEE Trans. Geosci. Remote Sens.*, vol. 26, no. 1, pp. 65–74, Jan. 1988.
- [54] A. Villa, J. A. Benediktsson, J. Chanussot, and C. Jutten, "Hyperspectral image classification with independent component discriminant analysis," *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 12, pp. 4865–4876, Dec.2011.
- [55] B. Du, L. Zhang, L. Zhang, T. Chen, and K. Wu, "A discriminative manifold learning based dimension reduction method," *Int. J. Fuzzy Syst.*, vol. 14, no. 2, pp. 272–277, Jun. 2012.
- [56] M. Dalla Mura, J. A. Benediktsson, B. Waske, and L. Bruzzone, "Extended profiles with morphological attribute filters for the analysis of hyperspectral data," *Int. J. Remote Sens.*, vol. 31, no. 22, pp. 5975–5991, 2010.
- [57] J. Li, X. Huang, P. Gamba, J. M. Bioucas-Dias, L. Zhang, and J. Atli Benediktsson, A. Plaza, "Multiple Feature Learning for Hyperspectral Image Classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 3, pp. 1592-1606, March 2015.
- [58] J. Li, J. Bioucas-Dias, and A. Plaza, "Semi-supervised hyperspectral image segmentation using multinomial logistic regression with active learning," *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 11, pp. 4085–4098, Nov.2010.
- [59] W. Li, E. W. Tramel, S. Prasad, and J. E. Fowler, "Nearest regularized subspace for hyperspectral classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 1, pp. 477–489, Jan. 2014.
- [60] W. Li and Q. Du, "Joint within-class collaborative representation for hyperspectral image classification," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 6,

pp. 2200–2208, June 2014.

[61] M. Xiong, Q. Ran, W. Li, J. Zou, and Q. Du, “Hyperspectral Image Classification Using Weighted Joint Collaborative Representation,” *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 6, pp. 1209–1213, June 2015.

[62] F. Melgani and L. Bruzzone, “Classification of hyperspectral remote sensing images with support vector machines,” *IEEE Trans. Geosci. Remote Sens.*, vol. 42, no. 8, pp. 1778–1790, Aug. 2004.

[63] L. Bruzzone, M. Chi, and M. Marconcini, “A novel transductive SVM for semisupervised classification of remote-sensing images,” *IEEE Trans. Geosci. Remote Sens.*, vol. 44, no. 11, pp. 3363–3373, Nov. 2006.

[64] M. Chi and L. Bruzzone, “Semisupervised classification of hyperspectral images by SVMs optimized in the primal,” *IEEE Trans. Geosci. Remote Sens.*, vol. 45, no. 6, pp. 1870–1880, Jun. 2007.

[65] Y. Zhong, Y. Lin, and L. Zhang, “A support vector conditional random classifier with a Mahalanobis distance boundary constraint for high spatial resolution remote sensing imagery,” *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 4, pp. 1314–1330, Apr. 2014.

[66] J. Li, J. M. Bioucas-Dias, and A. Plaza, “Spectral–spatial hyperspectral image segmentation using subspace multinomial logistic regression and Markov random fields,” *IEEE Trans. Geosci. Remote Sens.*, vol. 50, no. 3, pp. 809–823, Mar. 2012.

[67] J. Li, J. M. Bioucas-Dias, and A. Plaza, “Semi-supervised hyperspectral image classification using soft sparse multinomial logistic regression,” *IEEE Geosci. Remote Sens. Lett.*, vol. 10, no. 2, pp. 318–322, Mar. 2013.

[68] F. Ratle, G. Camps-Valls, and J. Weston, “Semisupervised neural networks for efficient hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 5, pp. 2271–2282, May 2010.

[69] Y. Zhong and L. Zhang, “An adaptive artificial immune network for supervised classification of multi-hyperspectral remote sensing imagery,” *IEEE Trans. Geosci. Remote Sens.*, vol. 50, no. 3, pp. 894–909, Mar. 2012.

[70] H. Jiao, Y. Zhong, and L. Zhang, “Artificial DNA computing-based spectral encoding and matching algorithm for hyperspectral remote sensing data,” *IEEE Trans. Geosci. Remote Sens.*, vol. 50, no. 10, pp. 4085–4104, Oct. 2012.

[71] G. Camps-Valls, L. Gomez-Chova, J. Muñoz-Marí, J. Vila-Francés, and J. Calpe-Maravilla, “Composite kernels for hyperspectral image classification,” *IEEE Geosci. Remote Sens. Lett.*, vol. 3, no. 1, pp. 93–97, Jan. 2006.

[72] J. Li, P. R. Marpu, A. Plaza, J. M. Bioucas-Dias, and J. A. Benediktsson, "Generalized composite kernel framework for hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 9, pp. 4816–4829, Sep. 2013.

[73] J. Li, J. M. Bioucas-Dias, and A. Plaza, "Hyperspectral image segmentation using a new Bayesian approach with active learning," *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 10, pp. 3947–3960, Oct. 2011.

[74] J. Lin, Q. Wang, and Y. Yuan, "In defense of iterated conditional mode for hyperspectral image classification," in *ICME*, July 2014, pp. 1–6.

[75] Q. Wang, J. Lin, and Y. Yuan, "Salient band selection for hyperspectral image classification via manifold ranking," *IEEE Trans. Neural Netw. Learn. Syst.*, vol. 27, no. 6, pp. 1279–1289, June 2016.

[76] C. Chen, W. Li, H. Su, and K. Liu, "Spectral-spatial classification of hyperspectral image based on kernel extreme learning machine," *Remote Sensing*, vol. 6, no. 6, pp. 5795–5814, 2014.

[77] B. Du, M. Zhang, L. Zhang, R. Hu, and D. Tao, "Pltd: Patch-based low-rank tensor decomposition for hyperspectral images," *IEEE Transactions on Multimedia*, vol. 19, no. 1, pp. 67–79, Jan 2017.

[78] Y. Chen, N. M. Nasrabadi, and T. D. Tran, "Hyperspectral image classification using dictionary-based sparse representation," *IEEE Trans. Geosci. Remote Sensing*, vol. 49, no. 10, pp. 3973–3985, 2011.

[79] J. Li, H. Zhang, Y. Huang, and L. Zhang, "Hyperspectral image classification by nonlocal joint collaborative representation with a locally adaptive dictionary," *IEEE Trans. Geosci. Remote Sensing*, vol. 52, no. 6, pp. 3707–3719, 2014.

[80] J. Li, H. Zhang, L. Zhang, X. Huang, and L. Zhang, "Joint collaborative representation with multitask learning for hyperspectral image classification," *IEEE Trans. Geosci. Remote Sensing*, vol. 52, no. 9, pp. 5923–5936, 2014.

[81] W. Li and Q. Du, "Joint within-class collaborative representation for hyperspectral image classification," *IEEE J. Sel. Top. Appl. Earth Observ. Remote Sens.*, vol. 7, no. 6, pp. 2200–2208, 2014.

[82] W. Li, Q. Du, and M. Xiong, "Kernel collaborative representation with tikhonov regularization for hyperspectral image classification," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 1, pp. 48–52, 2015.

[83] M. Xiong, Q. Ran, W. Li, J. Zou, and Q. Du, "Hyperspectral image classification using weighted joint collaborative representation," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 6, pp. 1209–1213, 2015.

[84] S. Jia, L. Shen, and Q. Li, "Gabor feature-based collaborative representation for hyperspectral imagery classification," *IEEE Trans. Geosci. Remote Sensing*, vol. 53, no. 2, pp.

1118–1129, 2015.

[85] J. Jiang, C. Chen, X. Song, and Z. Cai, “Hyperspectral image classification using set-to-set distance,” in ICASSP, March 2016, pp. 3346–3350.

[86] J. Ma, J. Zhao, J. Tian, X. Bai, and Z. Tu, “Regularized vector field learning with sparse approximation for mismatch removal,” *Pattern Recognition*, vol. 46, no. 12, pp. 3519–3532, 2013.

[87] L. Wang, K. Lu, P. Liu, R. Ranjan, and L. Chen, “Ik-svd: dictionary learning for spatial big data via incremental atom update,” *Computing in Science & Engineering*, vol. 16, no. 4, pp. 41–52, 2014.

[88] J. Jiang, X. Ma, Z. Cai, and R. Hu, “Sparse support regression for image super-resolution,” *IEEE Photonics Journal*, vol. 7, no. 5, pp. 1–11, Oct2015.

[89] J. Ma, C. Chen, C. Li, and J. Huang, “Infrared and visible image fusion via gradient transfer and total variation minimization,” *Inf. Fusion*, vol. 31, pp. 100–109, 2016.

[90] J. Jiang, J. Ma, C. Chen, X. Jiang, and Z. Wang, “Noise robust face image super-resolution through smooth sparse representation,” *IEEE Trans. on Cybern.*, vol. PP, no. 99, pp. 1–12, 2016.

[91] W. Song, P. Liu, and L. Wang, “Sparse representation-based correlation analysis of non-stationary spatiotemporal big data,” *International Journal of Digital Earth*, vol. 9, no. 9, pp. 892–913, 2016.

[92] J. Wei, Y. Huang, K. Lu, and L. Wang, “Nonlocal low-rank-based compressed sensing for remote sensing image reconstruction,” *IEEE Geoscience and Remote Sensing Letters*, vol. 13, no. 10, pp. 1557–1561, 2016.

[93] J. Wright, A. Y. Yang, A. Ganesh, S. S. Sastry, and Y. Ma, “Robust face recognition via sparse representation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 31, no. 2, pp. 210–227, 2009.

[94] L. Zhang, M. Yang, and X. Feng, “Sparse representation or collaborative representation: Which helps face recognition?” in *ICCV*, 2011, pp. 471–478.

[95] Y. Yuan, J. Lin, and Q. Wang, “Hyperspectral image classification via multitask joint sparse representation and stepwise MRF optimization,” *IEEE Trans. Cybernetics*, vol. PP, no. 99, pp. 1–12, 2015.

[96] J. Liu, Z. Wu, J. Li, A. Plaza, and Y. Yuan, “Probabilistic-kernel collaborative representation for spatial-spectral hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sensing*, vol. 54, no. 4, pp. 2371–2384, April 2016.

[97] H. Pu, Z. Chen, B. Wang, and G. M. Jiang, “A novel spatial-spectral similarity measure for dimensionality reduction and classification of hyperspectral imagery,” *IEEE Trans. Geosci. Remote Sensing*, vol. 52, no. 11, pp. 7008–7022, Nov 2014.

- [98] C. Li, Y. Ma, X. Mei, C. Liu, and J. Ma, "Hyperspectral image classification with robust sparse representation," *IEEE Geosci. Remote Sens. Lett.*, vol. 13, no. 5, pp. 641–645, May 2016.
- [99] Y. Yuan, Q. Wang, and G. Zhu, "Fast hyperspectral anomaly detection via high-order 2-D crossing filter," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 2, pp. 620–630, Feb. 2015.
- [100] L. Zhang, L. Zhang, D. Tao, X. Huang, and B. Du, "Hyperspectral remote sensing image subpixel target detection based on supervised metric learning," *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 8, pp. 4955–4965, Aug. 2014.
- [101] B. Zhang, D. Wu, L. Zhang, Q. Jiao, and Q. Li, "Application of hyperspectral remote sensing for environment monitoring in mining areas," *Environ. Earth Sci.*, vol. 65, no. 3, pp. 649–658, Feb. 2012.
- [102] G. Camps-Valls, D. Tuia, L. Bruzzone, and J. A. Benediktsson, "Advances in hyperspectral image classification: Earth monitoring with statistical learning methods," *IEEE Signal Proc. Mag.*, vol. 31, no. 1, pp. 45–54, Jan. 2014.
- [103] M. A. Lee, Y. Huang, H. Yao, and S. J. Thomson, "Determining the effects of storage on cotton and soybean leaf samples for hyperspectral analysis," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 6, pp. 2562–2570, Jun. 2014.
- [104] M. Dalponte, H. O. Orka, T. Gobakken, D. Gianelle, and E. Nasset, "Tree species classification in boreal forests with hyperspectral data," *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 5, pp. 2632–2645, May 2013.
- [105] J. Chi and M. M. Crawford, "Spectral unmixing-based crop residue estimation using hyperspectral remote sensing data: A case study at Purdue university," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 6, pp. 2531–2539, Jun. 2014.
- [106] W. Li, C. Chen, H. Su, and Q. Du, "Local binary patterns and extreme learning machine for hyperspectral imagery classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 7, pp. 3681–3693, Jul. 2015.
- [107] W. Li, Q. Du, F. Zhang, and W. Hu, "Collaborative-representation-based nearest neighbor classifier for hyperspectral imagery," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 2, pp. 389–393, Feb. 2015.
- [108] B. Zhang, S. S. Li, X. P. Jia, L. R. Gao, and M. Peng, "Adaptive Markov random field approach for classification for hyperspectral imagery," *IEEE Geosci. Remote Sens. Lett.*, vol. 8, no. 5, pp. 973–977, Sep. 2011.
- [109] W. Li and Q. Du, "Joint within-class collaborative representation for hyperspectral image classification," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 6, pp. 2200–2208, Jun. 2014.
- [110] W. Li and Q. Du, "Gabor-filtering based nearest regularized subspace for hyperspectral image classification," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 4, pp.

1012–1022, Apr. 2014.

[111] W. Li, Q. Du, and M. Xiong, “Kernel collaborative representation with Tikhonov regularization for hyperspectral image classification,” *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 1, pp. 48–52, Jan. 2015.

[112] J. Li, H. Zhang, L. Zhang, X. Huang, and L. Zhang, “Joint collaborative representation with multitask learning for hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 9, pp. 5923–5936, Sep. 2014.

[113] F. Melgani and L. Bruzzone, “Classification of hyperspectral remote sensing images with support vector machines,” *IEEE Trans. Geosci. Remote Sens.*, vol. 42, no. 8, pp. 1778–1790, Aug. 2004.

[114] F. Ratle, G. Camps-Valls, and J. Weston, “Semisupervised neural networks for efficient hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 5, pp. 2271–2282, May 2010.

[115] Y. Zhong and L. Zhang, “An adaptive artificial immune network for supervised classification of multi-/hyperspectral remote sensing imagery,” *IEEE Trans. Geosci. Remote Sens.*, vol. 50, no. 3, pp. 894–909, Mar. 2012.

[116] G. Camps-Valls, L. Gomez-Chova, J. Munoz-Mari, J. Vila-Frances, and J. Calpe-Maravilla, “Composite kernels for hyperspectral image classification,” *IEEE Geosci. Remote Sens. Lett.*, vol. 3, no. 1, pp. 93–97, Jan. 2006.

[117] J. Li, J. M. Bioucas-Dias, and A. Plaza, “Hyperspectral image segmentation using a new Bayesian approach with active learning,” *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 10, pp. 3947–3960, Oct. 2011.

[118] M. Fauvel, Y. Tarabalka, J. A. Benediktsson, J. Chanussot, and J. C. Tilton, “Advances in spectral–spatial classification of hyperspectral images,” *Proc. IEEE*, vol. 101, no. 3, pp. 652–675, Mar. 2013.

[119] J. Li, P. R. Marpu, A. Plaza, J. M. Bioucas-Dias, and J. A. Benediktsson, “Generalized composite kernel framework for hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 9, pp. 4816–4829, Sep. 2013.

[120] R. Ji, Y. Gao, R. Hong, Q. Liu, D. Tao, and X. Li, “Spectral–spatial constraint hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 3, pp. 1811–1824, Mar. 2014.

[121] H. Pu, Z. Chen, B. Wang, and G. M. Jiang, “A novel spatial–spectral similarity measure for dimensionality reduction and classification of hyperspectral imagery,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 11, pp. 7008–7022, Nov. 2014.

- [122] M. Khodadadzadeh, J. Li, A. Plaza, H. Ghassemian, J. M. Bioucas-Dias, and X. Li, "Spectral-spatial classification of hyperspectral data using local and global probabilities for mixed pixel characterization," *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 10, pp. 6298–6314, Oct. 2014.
- [123] P. Ghamisi, J. A. Benediktsson, and M. O. Ulfarsson, "Spectral-spatial classification of hyperspectral images based on hidden Markov random fields," *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 5, pp. 2565–2574, May 2014.
- [124] Y. Zhou, J. Peng, and C. L. P. Chen, "Dimension reduction using spatial and spectral regularized local discriminant embedding for Hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 2, pp. 1082–1095, Feb. 2015.
- [125] F. Melgani and L. Bruzzone, "Classification of hyperspectral remote sensing images with support vector machines," *IEEE Trans. Geosci. Remote Sens.*, vol. 42, no. 8, pp. 1778–1790, Aug. 2004.
- [126] F. Ratle, G. Camps-Valls, and J. Weston, "Semisupervised neural networks for efficient hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 5, pp. 2271–2282, May 2010.
- [127] M. Fauvel, Y. Tarabalka, J. A. Benediktsson, J. Chanussot, and J. C. Tilton, "Advances in spectral-spatial classification of hyperspectral images," *Proc. IEEE*, vol. 101, no. 3, pp. 652–675, Mar. 2013.
- [128] Y. Chen, N. M. Nasrabadi, and T. D. Tran, "Hyperspectral image classification using dictionary-based sparse representation," *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 10, pp. 3973–3985, Oct. 2011.
- [129] H. Zhang, J. Li, Y. Huang, and L. Zhang, "A nonlocal weighted joint sparse representation classification method for hyperspectral imagery," *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 7, no. 6, pp. 2056–2065, Jun. 2014.
- [130] Q. Shi, B. Du, and L. Zhang, "Spatial coherence-based batch-mode active learning for remote sensing image classification," *IEEE Trans. Image Process.*, vol. 24, no. 7, pp. 2037–2050, Jul. 2015.
- [131] I. Jolliffe, *Principal Component Analysis*. Hoboken, NJ, USA: Wiley, 2005.
- [132] J. Li et al., "Multiple feature learning for hyperspectral image classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 3, pp. 1592–1606, Mar. 2015.
- [133] E. Zhang, X. Zhang, H. Liu, and L. Jiao, "Fast multifeature joint sparserepresentation for hyperspectral image classification," *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 7, pp. 1397–1401, Jul. 2015.
- [134] I. Jolliffe, *Principal Component Analysis*. Hoboken, NJ, USA: Wiley, 2005.
- [135] L. O. Jimenez-Rodriguez, E. Arzuaga-Cruz, and M. Velez-Reyes, "Unsupervised linear

feature-extraction methods and their effects in the classification of high-dimensional data,” *IEEE Trans. Geosci. Remote Sens.*, vol. 45, no. 2, pp. 469–483, Feb. 2007.

[136] Rajagopalan, B., Lall, U.: A k Nearest Neighbor Simulator for Daily Precipitation and Other Weather Variables. *Water Resources Research* 35 (10), 3089--3101 (1999)

[137] Chedad, A., Moshou, D., Aerts, J.M., et al : Recognition System for Pig Cough based on Probabilistic Neural Networks. *Journal of Agricultural Engineering Research* 79(4), 449--457 (2001)

[138] Schatzki, T.F., Haff, R.P., Young, R., et al: Defect Detection in Apples by Means of X-ray Imaging. *Transactions of the American Society of Agricultural Engineers* 40(5), 1407-1415 (1997)

[139] Kirchner, K., Tolle, K.-H., Krieter, J.: The analysis of simulated sow herd datasets using decision tree technique. *Comput. Electron. Agric.* 42, 111--127 (2004)

[140] Vapnik, W. N., Chervonenkis, A. Y.: On the uniform convergence of relative frequencies of events to their probabilities. *Theory of Probability and its Applications* 16(2), 264--280 (1971)

[141] Vapnik, V.: *Statistical Learning Theory*. John Wiley and Sons, New York (1998)

[142] Giorgio, V, Marco, M, Francesca, R.: Cancer recognition with bagged ensembles of support vector machines. *Neurocomputing* 56, 461--466 (2004)

[143] Hyunsoo, K., Peg, H., Haesun, P.: Dimension Reduction in Text Classification with Support Vector Machines. *Journal of Machine Learning Research* 6, 37--53 (2005)

[144] Simon, T., Daphne, K.: Support Vector Machine Active Learning with Applications to Text Classification. *Journal of Machine Learning Research*, 45--66 (2001)

[145] Bellotti, T., Crook, J.: Support vector machines for credit scoring and discovery of significant features. *Expert Systems with Applications* 36, 3302--3308 (2009)

[146] Lee, Y. C.: Application of support vector machines to corporate credit rating prediction. *Expert Systems with Applications* 33(1), 67--74 (2007)

[147] Huang, C. L., Chen, M. C., Wang, C. J.: Credit scoring with a data mining approach based on support vector machines. *Expert Systems with Applications* 33(4), 847--856 (2007)

[148] Tao, D.C., Tang, X. O., Li, X. L., Wu, X. D.: Asymmetric bagging and random subspace for support vector machines-based relevance feedback in image retrieval. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 28 (7), 1088--1099 (2006)

[149] S. Chen, D. Donoho, and M. Saunders, “Atomic decomposition by basis pursuit,” *SIAM*

J. Scientific Computing, vol. 20, no. 1, pp. 33–61, 1999.

[150] Y. Pati, R. Rezaifar, and P. Krishnaprasad, “Orthogonal matching pursuit: Recursive function approximation with applications to wavelet decomposition,” in *27th Annual Asilomar Conference on Signals, Systems, and Computers*, 1993.

[151] S. Mallat and Z. Zhang, “Matching pursuits with time-frequency dictionaries,” *IEEE Trans. on Signal Processing*, vol. 41, pp. 3397–3415, 1993.

[152] M. Aharon, M. Elad, and A. Bruckstein, “The K-SVD: An algorithm for designing of over-complete dictionaries for sparse representation,” *IEEE Trans. On Signal Processing*, to appear.

[153] I. Drori and D. Donoho, “Solution of L1 minimization problems by LARS/Homotopy methods,” in *ICASSP*, 2006, vol. 3, pp. 636–639.

[154] J. Starck, M. Elad, and D. Donoho, “Image decomposition via the combination of sparse representation and a variational approach,” *IEEE Trans. on Image Processing*, vol. 14, no. 10, pp. 1570–1582, 2005.

[155] Y. Li, A. Cichocki, and S. Amari, “Analysis of sparse representation and blind source separation,” *Neural Computation*, vol. 16, no. 6, pp. 1193–1234, 2004.

[156] B. Olshausen, P. Sallee, and M. Lewicki, “Learning sparse image codes using a wavelet pyramid architecture,” in *NIPS*, 2001, pp. 887–893.

[157] M. Elad and M. Aharon, “Image denoising via learned dictionaries and sparse representation,” in *CVPR*, 2006.

[158] M. Elad, B. Matalon, and M. Zibulevsky, “Image denoising with shrinkage and redundant representation,” in *CVPR*, 2006.

[159] J. Wright, A. Y. Yang, A. Ganesh, S. S. Sastry, and Y. Ma, “Robust face recognition via sparse representation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 31, no. 2, pp. 210–227, Feb. 2009.

[160] S. Li, H. Yin, and L. Fang, “Remote sensing image fusion via sparse representations over learned dictionaries,” *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 9, pp. 4779–2677, Sep. 2013.

[161] L. Fang et al., “Fast acquisition and reconstruction of optical coherence tomography images via sparse representation,” *IEEE Trans. Med. Imag.*, vol. 32, no. 11, pp. 2034–2049, Nov. 2013.

[162] L. Fang, S. Li, X. Kang, and J. A. Benediktsson “Spectral–spatial hyper- spectral image classification via multiscale adaptive sparse representation,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 12, pp. 7738–7749, Dec. 2014.

[163] Z. He, Q. Wang, Y. Shen, and M. Sun, “Kernel sparse multitask learning for hyperspectral image classification with empirical mode decomposition and morphological wavelet-based

features,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 8, pp. 5150–5163, Aug. 2014.

[164] Z. Wang, N. M. Nasrabadi, and T. S. Huang, “Spatial–spectral classification of hyperspectral images using discriminative dictionary designed by learning vector quantization,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 8, pp. 4808–4822, Aug. 2014.

[165] J. Liu, Z. Wu, Z. Wei, L. Xiao, and L. Sun, “Spatial–spectral kernel sparse representation for hyperspectral image classification,” *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 6, no. 6, pp. 2462–2471, Dec. 2013.

[166] A. Soltani-Farani, H. R. Rabiee, and S. A. Hosseini, “Spatial-aware dictionary learning for hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 1, pp. 527–541, Jan. 2015.

[167] Q. Zhang, Y. Tian, Y. Yang, and C. Pan, “Automatic spatial–spectral feature selection for hyperspectral image via discriminative sparse multimodal learning,” *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 1, pp. 261–279, Jan. 2015.

[168] J. Li et al., “Multiple feature learning for hyperspectral image classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 53, no. 3, pp. 1592–1606, Mar. 2015.

[169] E. Zhang, X. Zhang, H. Liu, and L. Jiao, “Fast multifeature joint sparse representation for hyperspectral image classification,” *IEEE Geosci. Remote Sens. Lett.*, vol. 12, no. 7, pp. 1397–1401, Jul. 2015.

[170] W. Fu, S. Li, L. Fang, X. Kang, and J. A. Benediktsson, “Hyperspectral image classification via shape-adaptive joint sparse representation,” *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 9, no. 2, pp. 556–567, Feb. 2016.

[171] S. Li and L. Fang, “Signal denoising with random refined orthogonal matching pursuit,” *IEEE Trans. Instrum. Meas.*, vol. 61, no. 1, pp. 26–34, Jan. 2012.

[172] J. Ye, H. Wang, and W. Yang, “Image reconstruction for electrical capacitance tomography based on sparse representation,” *IEEE Trans. Instrum. Meas.*, vol. 64, no. 1, pp. 89–102, Jan. 2015.

[173] Q. He, H. Song, and X. Ding, “Sparse signal reconstruction based on time–frequency manifold for rolling element bearing fault signature enhancement,” *IEEE Trans. Instrum. Meas.*, vol. 65, no. 2, pp. 482–491, Feb. 2016.

[174] L. Fang, S. Li, D. Cunefare, and S. Farsiu, “Segmentation based sparse reconstruction of optical coherence tomography images,” *IEEE Trans. Med. Imag.*, vol. 36, no. 2, pp. 407–421, Feb. 2017.

[175] H. Liu and S. Li, “Target detection using sparse representation with element and construction combination feature,” *IEEE Trans. Instrum. Meas.*, vol. 64, no. 2, pp. 290–298, Feb.

2015.

[176] H. Liu, S. Li, and L. Fang, "Robust object tracking based on principal component analysis and local sparse representation," *IEEE Trans. Instrum. Meas.*, vol. 64, no. 11, pp. 2863–2875, Nov. 2015.

[177] J. Wright, A. Y. Yang, A. Ganesh, S. S. Sastry, and Y. Ma, "Robust face recognition via sparse representation," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 31, no. 2, pp. 210–227, Feb. 2009.

[178] Ping Zhong, Zhiqiang Gong, Shutao Li and Carola-Bibiane Schönlieb "Learning to Diversify Deep Belief Networks for Hyperspectral Image Classification" *IEEE Trans. Geosci. Remote Sens.*, vol. 55, no. 6, pp. 3516–3530, Jan. 2017.

[179] Jiangtao Peng, Hong Chen, Yicong Zhou and Luoqing Li "Ideal Regularized Composite Kernel for Hyperspectral Image Classification" *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 10, no. 4, pp. 1563–1574, Apr. 2017.

[180] Zhixi Feng, Min Wang, Shuyuan Yang, Zhi Liu, Linzan Liu, Bin Wu, and Hong Li "Superpixel Tensor Sparse Coding for Structural Hyperspectral Image Classification" *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 10, no. 4, pp. 1632–1639, Apr. 2017.

[181] Junshi Xia, Nicola Falco, J'on Atli Benediktsson, Peijun Du and Jocelyn Chanussot "Hyperspectral Image Classification With Rotation Random Forest Via KPCA" *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 10, no. 4, pp. 1601–1609, Apr. 2017.

[182] Zengmao Wang, Bo Du, Lefei Zhang, Liangpei Zhang and Xiuping Jia "A Novel Semisupervised Active-Learning Algorithm for Hyperspectral Image Classification" *IEEE Geosci. Remote Sens. Lett.*, vol. 55, no. 6, pp. 3071–3083, Jun. 2017.

[183] Lixia Yang, Min Wang, Shuyuan Yang, Rui Zhang, and Pingting Zhang "Sparse Spatio-Spectral LapSVM With Semisupervised Kernel Propagation for Hyperspectral Image Classification" *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, vol. 10, no. 5, pp. 2046–2054, May. 2017.

[184] Sen Jia, Bin Deng, Jiasong Zhu, Xiuping Jia and Qingquan Li "Superpixel-Based Multitask Learning Framework for Hyperspectral Image Classification" *IEEE Geosci. Remote Sens. Lett.*, vol. 55, no. 5, pp. 2575–2578, May. 2017.

[185] Haoliang Yuan and Yuan Yan Tang "Spectral–Spatial Shared Linear Regression for Hyperspectral Image Classification" *IEEE Trans. Cybernetics.*, vol. 47, no. 4, pp. 934–945, Apr. 2017.

[186] CHUNJUAN BO^{1,2}, HUCHUAN LU¹, AND DONG WANG¹ "Weighted Generalized Nearest Neighbor for Hyperspectral Image Classification" *IEEE Access.*, no. 5, pp. 1496–1509, Feb. 2017.

[187] Bushra Naz Soomro, Liang Xiao, Mohsen Molaei, Lili Huang, Zhichao Lian, and Shahzad

Hyder Soomro “Local and Nonlocal Context-Aware Elastic Net Representation-Based Classification for Hyperspectral Images” *IEEE J. Sel. Topics Appl. Earth Observ. Remote Sens.*, pp. 1–8, Mar. 2017.

[188] Lin He, Jun Li, Antonio Plaza and Yuanqing Li “Discriminative Low-Rank Gabor Filtering for Spectral–Spatial Hyperspectral Image Classification” *IEEE Geosci. Remote Sens. Lett.*, vol. 55, no. 3, pp. 1381–1395, Mar. 2017.

[189] Li Xie, Guangyao Li, Mang Xiao, Lei Peng, and Qiaochuan Chen “Hyperspectral Image Classification Using Discrete Space Model and Support Vector Machines” *IEEE Geosci. Remote Sens. Lett.*, vol. 14, no. 3, pp. 374–378, Mar. 2017.

[190] J. L. Crespo, R. J. Duro, and F. L. Pena, “Gaussian synapse ANNs in multi- and hyperspectral image data analysis,” *IEEE Trans. Instrum. Meas.*, vol. 52, no. 3, pp. 724–732, Jun. 2003.

[191] M. Fauvel, Y. Tarabalka, J. A. Benediktsson, J. Chanussot, and J. C. Tilton, “Advances in spectral-spatial classification of hyperspectral images,” *Proc. IEEE*, vol. 101, no. 3, pp. 652–675, Mar. 2013.

[192] H. R. Kalluri, S. Prasad, and L. M. Bruce, “Decision-level fusion of spectral reflectance and derivative information for robust hyperspectral land cover classification,” *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 11, pp. 4047–4058, Nov. 2010.

[193] S. Li and L. Fang, “Signal denoising with random refined orthogonal matching pursuit,” *IEEE Trans. Instrum. Meas.*, vol. 61, no. 1, pp. 26–34, Jan. 2012.

[194] H. Liu, S. Li, and L. Fang, “Robust object tracking based on principal component analysis and local sparse representation,” *IEEE Trans. Instrum. Meas.*, vol. 64, no. 11, pp. 2863–2875, Nov. 2015.

[195] J. Wright, A. Y. Yang, A. Ganesh, S. S. Sastry, and Y. Ma, “Robust face recognition via sparse representation,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 31, no. 2, pp. 210–227, Feb. 2009.

[196] S. G. Mallat and Z. Zhang, “Matching pursuits with time-frequency dictionaries,” *IEEE Trans. Signal Process.*, vol. 41, no. 12, pp. 3397–3415, Dec. 1993.

[197] T. C. Bau, S. Sarkar, and G. Healey, “Hyperspectral region classification using a three-dimensional Gabor filterbank,” *IEEE Trans. Geosci. Remote Sens.*, vol. 48, no. 9, pp. 3457–3464, Sep. 2010.

[198] M. Fauvel, J. A. Benediktsson, J. Chanussot, and J. R. Sveinsson, “Spectral and spatial classification of hyperspectral data using SVMs and morphological profiles,” *IEEE Trans. Geosci. Remote Sens.*, vol. 46, no. 11, pp. 3804–3814, Nov. 2008.

[199] L. Shen and S. Jia, "Three-dimensional Gabor wavelets for pixel-based hyperspectral imagery classification," *IEEE Trans. Geosci. Remote Sens.*, vol. 49, no. 12, pp. 5039–5046, Dec. 2011.

[200] X. Huang and L. Zhang, "An SVM ensemble approach combining spectral, structural, and semantic features for the classification of high-resolution remotely sensed imagery," *IEEE Trans. Geosci. Remote Sens.*, vol. 51, no. 1, pp. 257–272, Jan. 2013.

[201] L. Fang, S. Li, X. Kang, and J. A. Benediktsson, "Spectral-spatial hyperspectral image classification via multiscale adaptive sparse representation," *IEEE Trans. Geosci. Remote Sens.*, vol. 52, no. 12, pp. 7738–7749, Dec. 2014.