

































- [22] W.T. Guoqiang, H.A Andrade, "A graphical programming and design environment for FPGA-based hardware," *In Proc. IEEE International Conference on Field-Programmable Technology*, Beijing, 2010, pp. 337 - 340.
- [23] R. Tekin, "MATLAB and LabVIEW in modeling, analysis and real time control of a motion control system," *In Proc. 2010 8th IEEE International Conference on Control and Automation*, Ankara, 2010, pp. 2077 - 2081.
- [24] M.C. Fang, S.M. Wang, "Rapid development of AUV system based on real-time and FPGA frame," *in Proc. 2011 IEEE Symposium on Underwater Technology and 2011 Workshop on Scientific Use of Submarine Cables and Related Technologies*, Tainan, 2011, pp. 1-5.
- [25] J. Truchard, "Bringing FPGA design to application domain experts," *in Proc. IEEE International Conference on Field-Programmable Technology*, 2010.
- [26] Labcenter Electronics (2011). [Online]. Available: [http://www.labcenter.com/products/vsm\\_overview.cfm](http://www.labcenter.com/products/vsm_overview.cfm)
- [27] M.N. Satar, D. Abdul Ishak, "Application of Proteus VSM in modeling brushless DC motor drives," *In Proc. 4th International Conference on Mechatronics*, Kuala Lumpur, 2011, pp. 1-7.
- [28] H. Mehdi, O. Boubaker, "Rehabilitation of a human arm supported by a robotic manipulator: A position/force cooperative control," *Journal of Computer Science*, vol. 6, 2010, pp. 912-919.
- [29] H. Mehdi, O. Boubaker, "Impedance controller tuned by particle swarm optimization for robotic arms," *International Journal of Advanced Robotic Systems*, vol. 8, 2011, pp. 93-103.
- [30] A. Aloulou, O. Boubaker, "Control of a step walking combined to arms swinging for a three dimensional humanoid prototype," *Journal of Computer Science*, vol. 6, 2010, pp. 886-895.